

S DEEDE **B** S FTHERIO

(11)

 $\overline{\mathbf{U}}$

 $\overline{\Omega}$

LLL. $\mathbf{O}\mathbf{D}$ LLL. LLL \mathbf{M} III

BDATS



Escape 115

> The Scott Escape 445 is the smallest of our big boats. Extremely versatile and easy for everyone to enjoy, the Escape 445 offers a no fuss approach to boating for kiwis who want to get sh*t done!

Featuring the latest in V8 technology with excellent fuel efficiency and loads of grunt, you can also fit 5 comfortably while enjoying any means of water activities.

We kept the design clean and simple to accommodate anything from dirty hunting or fishing trips to a day on the lake with family and friends.



#getwet



KEY SPECIFICATIONS

Turn key, drive-away package

4.45m, 5 seater

NEW 355hp Marine Power Jetpac, 5.3L direct injection V8

Scott WaterJet 852X - 8.5" two stage water jet

Electric trim control

Scott aluminum single axle trailer with trailer breaks and spare wheel

Comprehensive warranty and after-sale support













STANDARD FEATURES

D&E Concept custom exterior - top vinyl wrap and Scott graphic pack D&E Concept custom interior

Stainless exhaust system

Heat exchanger water cooling

Twin bilge pumps

WARRANTIES

Marine Power engine - 36 month/150 hr

Scott WaterJet - 24 month/100 hr

Scott hull - 12 month

Scott trailer - 12 month

VIEW FULL SPECIFICATIONS ON REVERSE



| | Escape 445 | Phantom 445 | Escape 460 | Phantom 475 |
|--|----------------------|-----------------------|----------------------|-----------------------|
| TECHNICAL SPECIFICATIONS | | | | |
| Boat dimensions incl jet unit (L/W/H mm) | 5200/1920/1070 | 5200/1920/1070 | 5350/1920/1150 | TBA |
| Boat on trailer dimensions (L/W/H mm) | 6550/2320/1460 | 6550/2320/1460 | 6750/2350/1500 | TBA |
| Internal cabin (L/W mm) | 1460/1600 | 1600/1600 | 1600/1600 | TBA |
| Deadrise | 16 degrees | 16 degrees | 16 degrees | 16 degrees |
| Bow deadrise | 26 degrees | 26 degrees | 26 degrees | 26 degrees |
| Keel thickness | 12mm | 12mm | 12mm | 12mm |
| Hull thickness | 5mm w 8mm stiffeners | 5mm w 8mm stiffeners | 5mm w 8mm stiffeners | 5mm w 8mm stiffeners |
| Top thickness | 3mm | 3mm | 3mm | 3mm |
| HULL OPTIONS | | | | |
| Standard hull | • | N/A | • | OPT |
| Reverse bow/ swim platform | OPT | • | OPT | • |
| Walk through screen | OPT | • | OPT | • |
| TRAILER OPTIONS | | | | |
| Single axle | • | OPT | • | N/A |
| Single axle with stonegaurd | OPT | • | OPT | OPT |
| Tandem axle with stoneguard | OPT | OPT | OPT | • |
| JET UNIT | | | | |
| Scott WaterJet 852X - 8.5" two stage | • | • | • | N/A |
| Scott WaterJet 912 - 9.1" two stage | N/A | N/A | N/A | • |
| Drive shaft | • | N/A | • | N/A |
| Close coupler | OPT | • | OPT | • |
| ENGINE OPTIONS | | | | |
| J5.3DI | • | OPT | OPT | N/A |
| J6.2DI | OPT | • | • | OPT |
| J6.2LSA Supercharged | OPT | OPT | OPT | • |
| GAUGES | | | | |
| Marine Power premium medallion gauges | • | • | • | • |
| EXHAUST OPTIONS | | | | |
| 4" dump pipes with stainless exhaust | • | N/A | • | N/A |
| Stainless mufflers with flappers | OPT | • | OPT | • |
| REVERSE BUCKET CONTROL | | | | |
| Manual reverse | • | OPT | • | OPT |
| Electric over hyd reverse | OPT | • | OPT | • |
| TRIM CONTROL | | | | |
| Manual trim | OPT | OPT | OPT | OPT |
| Electric over hyd trim | • | • | • | • |
| FLOORING | | | | |
| Alloy chequer plate floor | • | OPT | • | OPT |
| Carpet floor | OPT | • | OPT | • |
| Seadeck flooring package | OPT | OPT | OPT | OPT |
| INTERIOR SIDE WALLS | 0 | | | 0 |
| Carpet walls | • | • | • | • |
| SEAT OPTIONS | - | - | - | |
| Black & grey embroidered seats | • | N/A | • | N/A |
| Black & grey embroidered seats Black & grey embroidered seats, color matched trim | OPT | • | OPT | • |
| black & grey embroluereu seats, color matcheu tim | OFT | - | OFT | • |

| | Escape 445 | Phantom 445 | Escape 460 | Phantom 475 |
|---|-----------------|-----------------------|-----------------|-----------------------|
| TOP DECK OPTIONS | | | | |
| Grip on hood | • | OPT | • | OPT |
| Seadeck hood package | OPT | • | OPT | • |
| Upholstered engine cover | OPT | OPT | OPT | • |
| D&E CONCEPT EXTERIOR GRAPHIC OPTIONS | | | | |
| Top vinyl wrap, Scott graphic pack (small) | • | OPT | • | OPT |
| Full vinyl wrap, Scott graphic pack (large) | OPT | OPT | OPT | OPT |
| Top paint, Scott graphic pack (small) | OPT | OPT | OPT | OPT |
| Full paint, Scott graphic pack (large) | OPT | • | OPT | • |
| DASH COLOUR OPTIONS | | | | |
| Black texture wrap dash | • | OPT | • | OPT |
| Wrapped dash matched to exterior | OPT | OPT | OPT | OPT |
| TRAILER GRAPHICS | | | | |
| Bare trailer | OPT | OPT | OPT | OPT |
| Colour matched with grip | • | OPT | • | OPT |
| Colour matched with seadeck package | OPT | • | OPT | • |
| MISC | | | | |
| Walk around engine dog box | OPT | OPT | OPT | • |
| Full engine cover | • | • | • | OPT |
| Road cover | • | • | • | • |
| Fire extinguisher | • | • | • | • |
| Sand trap with sight glass and drain tap | • | • | • | • |
| ELECTRICAL | | | | |
| USB in glovebox | • | • | • | • |
| 12V power in glovebox | • | • | • | • |
| Drivers USB | OPT | • | OPT | • |
| Auto bilge 1000GPH w manual overide | • | • | • | • |
| Manual bilge 500GPH | • | • | • | • |
| WARRANTY | | | | |
| Marine Power engine | 36 month/150 hr | 36 month/150 hr | 36 month/150 hr | 36 month/150 hr |
| Scott WaterJet | 24 month/100 hr | 24 month/100 hr | 24 month/100 hr | 24 month/100 hr |
| Scott hull | 12 month | 12 month | 12 month | 12 month |
| Scott trailer | 12 month | 12 month | 12 month | 12 month |
| ACCESSORIES | | | | |
| Ski hooks | OPT | • | OPT | • |
| Rod holders | OPT | OPT | OPT | OPT |
| Cup holders | • | OPT | • | OPT |
| Front underseat storage capacity per seat | 23L | 23L | 23L | 23L |
| Rear underseat storage capacity | 42L | 42L | 42L | 10L |
| Dash storage | • | • | • | • |
| Bow storage | • | • | • | • |
| Underhood storage | 444L | 444L | 444L | N/A |
| Ski platform storage | N/A | 80L | N/A | 80L |
| Side pocket length | 2.3m | 2.3m | 2.3m | 2.3m |
| Foot rest | • | N/A | • | N/A |
| Fuel tank size | 160L | 160L | 160L | 160L |

Standard warranty terms and conditions apply, limited to months or hours (whichever comes first). See instore for more information. D&E Outdoors reserves the right to change specification and design of all products described in this publication without notice. Sample photos only. While all care has been taken with the accuracy of this publication, it is subject to errors and omissions.